

2017

Smallbone WA, Chadwick EA, Francis J, Guy E, Perkins SE, Sherrard-Smith E, Cable J.
(2017) East-West Divide: temperature and land cover drive spatial variation of *Toxoplasma gondii* infection in Eurasian otters (*Lutra lutra*) from England and Wales.
Parasitology. 144(11):1433-1440. doi: 10.1017/S0031182017000865.

Kean EF, Bruford MW, Russo I-R M, Muller CT (2017) Odour dialects among wild mammals. *Scientific Reports*, 7, Article number: 13593(2017). doi:10.1038/s41598-017-12706-8

2016

Sherrard-Smith EA, Cable J, Orozco-terWengel P, Elmeros M, van Dijk J, Simonnet F, Roos A, Lemarchand C, Polednik L, Heneberg P, Chadwick EA (2016) Distribution and molecular phylogeny of biliary trematodes (Opisthorchiida) infecting fish-eating mammals (*Lutra lutra* and *Neovison vison*) across Europe. *Parasitology International*. 65 (2016) 163–17

2015

Kean EF, Chadwick EA, Müller CT (2015) Scent signals individual identity and country of origin in otters. *Mammalian Biology*, 80(2), 99-105

Sherrard-Smith E, Perkins SE, Chadwick EA, Cable J (2015) Spatial and seasonal factors are key determinants in the aggregation of helminths in their definitive hosts: *Pseudamphistomum truncatum* in otters *Lutra lutra*. *International Journal of Parasitology*. 45 (1) 75-83.

Pountney A, Filby AL, Thomas GO, Simpson VR, Chadwick EA, Stevens JR and Tyler CR (2015) High liver content of polybrominated diphenyl ether (PBDE) in otters (*Lutra lutra*) from England and Wales. *Chemosphere*. 118, 81-86.

2014

Sherrard Smith E, Chadwick EA, Cable J (2014) The impact of introduced hosts on parasite transmission: opisthorchiid infections in American mink (*Neovison vison*). *Biological Invasions*. 16 (6).

Stanton WG, Hobbs GI, McCafferty DJ, Chadwick EA, Philbey AW, Sacheri IJ, Slater FM, Bruford MW. (2014) Contrasting genetic structure of the Eurasian otter (*Lutra lutra*) across a latitudinal divide. *Journal of Mammalogy*. 95 (4) 814-823.

2013

O'Neill D, Turner PD, O'Meara DB, Chadwick EA, Coffey L, O'Reilly C (2013) Development of novel real-time TaqMan® PCR assays for the species and sex identification of otter (*Lutra lutra*) and their application to non-invasive genetic monitoring. *Molecular Ecology Resources*, 13 (5) 877-883.

Sherrard-Smith E, Chadwick EA, Cable J (2013) Climatic variables are associated with the prevalence of biliary trematodes in otters. *International Journal for Parasitology* 43 (9) 729-737.

Chadwick EA, Cable J, Chinchen A, Francis J, Guy E, Kean EF, Paul SC, Perkins SE,

Sherrard-Smith E, Wilkinson C and Forman DW (2013) Seroprevalence of *Toxoplasma gondii* in the Eurasian otter (*Lutra lutra*) in England and Wales. *Parasites and Vectors*, 6: 75.

2012

Sherrard-Smith E, Chadwick EA and Cable J (2012) Abiotic and biotic factors associated with tick population dynamics on a mammalian host: *Ixodes hexagonus* infecting Eurasian otters *Lutra lutra*. *PLoS ONE*, Oct 2012. 7 (10) 1-7.

2011

Chadwick EA, Simpson VR, Nicholls A and Slater FM (2011) Lead levels in Eurasian otters decline with time and reveal interactions between sources, prevailing weather, and stream chemistry. *Environmental Science and Technology*. 45 (5) 1911-1916.

Hobbs GI, Chadwick EA, Bruford MW, Slater FM (2011). Bayesian Clustering Techniques and Progressive Partitioning to Identify Population Structuring Within a Recovering Otter Population in the UK. *Journal of Applied Ecology*. 48 (5) 1206-1217.

Kean EF, Muller CT and Chadwick EA (2011) Otter scent signals age, sex and reproductive status. *Chemical Senses*, 36 (6) 555-564.

2010

Chadwick EA and Sherrard Smith E (2010) Pregnancy among otters (*Lutra lutra*) found dead in England and Wales: foetal development and lack of seasonality. *IUCN Otter Specialist Bulletin*, 27 (1), 33-41.

Sherrard Smith E and Chadwick EA (2010) Age structure of the otter (*Lutra lutra*) population in England and Wales, and problems with cementum ageing. *IUCN Otter Specialist Bulletin*, 27 (1), 42-49.

Jancke S and Giere P (2010). Patterns of otter *Lutra lutra* road mortality in a landscape abundant in lakes. *Eur J Wildl Res*, 56

Lemarchand, C., Rosoux, R. and Berny, P. (2010) Organochlorine pesticides, PCBs, heavy metals and anticoagulant rodenticides in tissues of Eurasian otters (*Lutra lutra*) from upper Loire River catchment (France). *Chemosphere*, 80; 1120-1124

Mucci, N., Arrendal, J., Ansorge, H., Bailey, M., Bodner, M., Delibes, M., Ferrando, A., Fournier, P., Fournier, C., Godoy, J., Hajkova, P., Hauer, S., Heggberget, T., Heidecke, D., Kirjavainen, H., Krueger, H., Kvaloy, K., Lafontaine, L., Lanszki, J., Lemarchand, C., Liukko, U., Loeschke, V., Ludwig, G., Madsen, A., Mercier, L., Ozolins, J., Paunovic, M., Pertoldi, C., Piriz, A., Prigioni, C., Santos-Reis, M., Luis, T., Stjernberg, T., Schmid, H.,

Suchentrunk, F., Teubner, J., Tornberg, R., Zinke, O. and Randi, E. (2010) Genetic diversity and landscape genetic structure of otter (*Lutra lutra*) populations in Europe. *Conservation Genetics*, 11, 583-599

Koelewijn, H., Pérez-Haro, M., Jansman, H., Boerwinkel, M., Bovenschen, J., Lammertsma, D., Niewold, F. and Kuiters, A. (2010) The reintroduction of the Eurasian otter (*Lutra lutra*) into the Netherlands: Hidden life revealed by noninvasive genetic monitoring. *Conservation Genetics*, 11: 601-614

2009

Sherrard-Smith E, Cable J, Chadwick EA (2009) Distribution of Eurasian otter biliary parasites *Pseudamphistomum truncatum* and *Metorchis albidus* (Family Opistorchiidae), in England and Wales. *Parasitology*, 136, 1015-1022.

Stanton DWG, Hobbs GI, Chadwick EA, Slater FM and Bruford MW (2009) Mitochondrial genetic diversity and structure of the European otter (*Lutra lutra*) in Britain. *Conservation Genetics*, 10 (3) 733-737.

Lafontaine L and Liles G (2008) Exemples d'ouvrages aménagés en faveur de la loutre en France et en Europe : essai de synthèse et perspectives. Actes des 4èmes Rencontres « Routes et faune sauvage » (Infrastructures de transport et petite faune). *Colloque SETRA / Ministère des Transports, Ministère de l'Ecologie et du Développement Durable, 21-22 septembre 2005, Chambéry*, 24 pp.

Philbey et al., (2009) Pathological findings in 66 wild European Otters in Scotland: 2007-2008. 63rd Annual Meeting of the Association of Veterinary Teaching and Research Work, Scarborough, England, 6-8 April 2009, p 34 (Abstract 56)

2007

Hájková, P., Pertoldi, C., Zemanová, B., Roche, K., Hájek, B., Bryja, J. and Zima, J. (2007) Genetic structure and evidence for recent population decline in Eurasian otter populations in the Czech and Slovak Republics: implications for conservation. *Journal of Zoology, London*, 272: 1-9

Chadwick, E. (2007) A post mortem study of otters found dead in England and Wales between 1992 and 2003. *Environment Agency R&D Technical Report W1-084*

Simpson, V. (2007^a) Health and ecotoxicology of otters: summary of four studies from 1988-2003. *Environment Agency Science Report SC010064/SR2*

Simpson, V. (2007^b) Health status of otters in southern and south west England 1996-2003. *Environment Agency Science report SC010064/SR1, Bristol, UK*

2006

Chanin P (2006) Otter road casualties. *Hystrix, Italian Journal of Mammalogy*, 17(1):79-90

Emeros M, Hammershoj M, Bo Madsen A, and Sogaart B (2006) Recovery of the otter *Lutra*

lutra in Denmark monitored by field surveys and collection of carcasses *Hystrix, Italian Journal of Mammalogy*, **17(1)**:17-28

Hobbs G, Chadwick E, Slater F, and Burford M (2006) Landscape genetics applied to a recovering otter (*Lutra lutra*) population in the UK: preliminary results and potential methodologies. *Hystrix, Italian Journal of Mammalogy*, **17**: 47-63

Simpson V (2006) Patterns and significance of bite wounds in Eurasian otters (*Lutra Lutra*) in southern and south-west England. *Veterinary Record*, **158**: 113-119.

2005

Carsignol J (Ed) (2005). Facilities and measures for small fauna, Technical Guide (selected extracts: small-scale hydraulic passages + Datasheets Otter, Beaver & European Mink). *SETRA, French Ministry of Ecology*, 2005. (Full text in OSG e-library)

2004

Lafontaine, L., Motfort, D., Moyon, X., Paillat, J. & Signoret, F. (2004) Mortalité routière et "passages à loutres" et à "petite faune" aménagés: instauration d'une base de données interrégionale à partir de quelques exemples mis en oeuvre en France. *XXVIIème Colloque Francophone de Mammalogie Limonges*, France

2003

Dallas JF, Coxon KE, Sykes T, Chanin PRF, Marshall F, Carss DN, Bacon PJ, Piertney SB, and Racey PA (2003) Similar estimates of population genetic composition and sex ratio derived from carcasses and faeces of Eurasian otter *Lutra lutra*. *Molecular Ecology*, **12**: 275-282

Grogan A, Green R, and Rusthon S (2003) The impact of roads on otters *The Mammal Society Autumn Symposium 2003 - Mammals and Roads*

Randi E, Davoli F, Pierpaoli M, Pertoldi C, Bo Madsen, A, and Loeschcke V (2003) Genetic structure in otter (*Lutra lutra*) populations in Europe: implications for conservation. *Animal Conservation*, **6**: 1-10

2002

Robitaille, J. and Laurence, S. (2002) Otter, *Lutra lutra*, occurrence in Europe and in France in relation to landscape characteristics. *Animal Conservation*, **5**: 337-344

Hauer, S., Ansorge, H. and Zinke, O. (2002) Mortality patterns of otters (*Lutra lutra*) from Eastern Germany. *Journal of Zoology, London*, **256**: 361-368

Hauer, S., Ansorge, H. and Zinke, O. (2002) Reproductive performance of otters *Lutra lutra* (Linnaeus, 1758) in Eastern Germany: Low reproduction in a long-term strategy. *Biological Journal of the Linnean Society*, **77**: 329-340

Bradshaw, A. and Slater, F. (2002) A postmortem study of otters (*Lutra lutra*) in England and Wales. *Environment Agency, Bristol*.

Lafontaine, L. and Liles, G. (2002) Traffic mortalities of the otter and road-passes: a database. *IUCN Otter Specialist Group Bulletin*, **19**: 21-24

Reuther, C. (2002) Otters and Fyke Nets - Some Aspects which Need Further Attention. *IUCN Otter Spec. Group Bull.*, **19(1)**: 7-20

2001

Roos, A., Greyerz, E., Olsson, M. & Sandegren, F. (2001) The otter (*Lutra lutra*) in Sweden - population trends in relation to Sigma DDT and total PCB concentrations during 1968- 99. *Environmental Pollution*, **111**: 457-469

Simpson, V. (2001) Post mortem protocol for otters. In: Proceedings of the First Otter Toxicology Conference. Conroy J.W.H., Yoxon P., and Gutleb A.C. (eds.). *Journal of the International Otter Survival Fund*, **1**: 159-166

1999

Philcox, C.K., Grogan, A.L. and Macdonald, D.W. (1999) Patterns of otter *Lutra lutra* road mortality in Britain. *Journal of Applied Ecology*, **36**: 748-762

1998

Smit, M., Leonards, P., De Jongh, A. and Van Hattum, B. (1998) Polychlorinated biphenyls in the Eurasian otter (*Lutra lutra*). *Reviews of Environmental Contamination and Toxicology*, **157**: 95-130

1997

Ansorge, H., Schipke, R. and Zinke, O. (1997) Population structure of the otter, *Lutra lutra*. Parameters and model for a Central European region. *Zeitschrift fur Säugetierkunde*, **62**: 143-151

1993

Lafontaine, L. (1993) Distribution of *Lutra lutra* in brittany and first preventative measures against road traffic. *IUCN Otter Specialist Group Bulletin*, **8**: 37-39

1991

Kruuk, H. & Conroy, J. (1991) Mortality of otters (*Lutra lutra*) in Shetland. *Journal of Applied Ecology*, **28**: 83-94

1981

Baker J.R., Jones A.M., Jones T.P., Watson H.C. (1981) Otter *Lutra lutra* L. mortality and marine oil pollution. *Biological Conservation*, **20**: 311-321