

## **Spotted-necked Otter - *Hydrictis maculicollis***

1. Odewumi, O. S. Eniomodun. IE (2025). *Occurrence, Food Resources and Food Preference of Spotted-Necked Otters*, 14-27.
2. Dognimon, S., Djagoun, C. A. M. S., Djego, S., Akpona, H. A., Djego, J., Akpona, J. D. T., & Sinsin, B. (2019). Spotted-necked otter (*Hydrictis maculicollis*) distribution and determining factors of habitat occurrence in the lower Ouémé Valley, Southern Beninn. *IUCN Otter Specialist Group Bulletin*, 36(1).
3. Odewumi, O. S., & Eniomodun, I. E. (2025). Occurrence, food resources and food preference of spotted-necked otters (*Hydrictis maculicollis*) in the coastal area of Ondo State, Nigeria. *IUCN Otter Specialist Group Bulletin*, 42(1), 14-27.
4. Bureau, B., & Ossele, J. (2024). The presence of the spotted-necked otter (*Hydrictis maculicollis*) in the Lékédi Park, southeast Gabon. *OTTER: The Journal of the International Otter Survival Fund*, 10, 138–144.
5. Salami, O. (2023). Distribution Pattern, Threats and Use of Spotted-Necked Otters (*Hydrictis maculicollis*) in the Riverine Communities of Ondo State, Nigeria IUCN Otter Spec. Group Bull, 40(4), 211-224.
6. Salami, O. (2023). Distribution Pattern, Threats and Use of Spotted-Necked Otters (*Hydrictis maculicollis*) in the Riverine Communities of Ondo State, Nigeria IUCN Otter Spec. Group Bull, 40(4), 211-224.
7. Salami, O. M., Odewumi, O. S., & Hernandez-Romero, P. C. (2022). The Perception of Fishermen towards the Conservation of Spotted-necked Otters (*Hydrictis maculicollis*) and Conflicts with the Riverine Area of Ondo State, Nigeria. *OTTER, Journal of the International Otter Survival Fund*, 8.
8. Jordaan, R. K., Somers, M. J., & McIntyre, T. (2021). The diving behavior of African clawless and spotted-necked otters in freshwater environments. *Journal of Mammalogy*, 102(4), 1020-1029.
9. Jordaan, R. K., Somers, M. J., Hall, G., & McIntyre, T. (2020). The diet of spotted-necked otters foraging in trout-stocked waters in Mpumalanga, South Africa. *African Zoology*, 55(2), 141-148. <https://doi.org/10.1080/15627020.2020.1741447>.

10. Reed-Smith, J., Jacques, H., & Somers, M. J. (2015). *Hydrictis maculicollis*. The IUCN Red List of Threatened Species 2015. e.T12420A21936042.  
<https://doi.org/10.2305/IUCN.UK.2015-2.RLTS.T12420A21936042.en>.
11. Akpona, A. H., Djagoun, C. A. M. S., Harrington, L. A., Kabré, A. T., Mensah, G. A., & Sinsin, B. (2015). Conflict between spotted-necked otters and fishermen in Hlan River, Benin. *Journal for nature conservation*, 27, 63-71.  
<https://doi.org/10.1016/j.jnc.2015.06.007>.
12. Reed-Smith, J., Serfass, T., Kihudu, T. S., & Mussa, M. (2014). Preliminary report on the behavior of spotted-necked otter (*Lutra maculicollis*, Lichtenstein, 1835) living in a lentic ecosystem. *Zoo Biology*, 33(2), 121-130. <https://doi.org/10.1002/zoo.21118>.
13. Amulike, B., Stevens, S. S., & Serfass, T. L. (2013). Enhancing tourist opportunities to view spotted-necked otters (*Lutra maculicollis*) at Rubondo Island National Park: can the apriori location of latrines simplify identifying best viewing areas?. *African journal of ecology*, 51(4), 609-617. <https://doi.org/10.1111/aje.12077>.
14. Akpona, H. A., Sinsin, B., & Mensah, G. A. (2011). Monitoring and threat assessment of the spotted-necked otter (*Lutra maculicollis*) in Southern Benin Wetlands. In *Proceedings of Xth International Otter Colloquium* (pp. 45-59). IUCN Otter Specialist Group.
15. Power, R. J., & Slater-Jones, S. (2010). Spotted-Necked Otter in the Lower Orange River, Northern Cape, South Africa. *South African Journal of Wildlife Research-24-month delayed open access*, 40(2), 181-183. <https://hdl.handle.net/10520/EJC117342>.
16. Reed-Smith, J., Oluoch, I., Origa, M., Kihedu, T. S., Muhabi, M. M., Yusuf, M. M., ... & Serfass, T. (2010). Consumptive uses of and lore pertaining to spotted-necked otters in East Africa—A preliminary report from the Lake Victoria area of Kenya, Tanzania, and Uganda. *IUCN Otter Spec. Group Bull*, 27(2), 85-88.
17. Van Neer, W. (2002). Archaeozoological evidence for the former presence of spotted-necked otter (*Lutra maculicollis*) in Egypt. *Bonner Zoologische Beiträge*, 50(3), 199-210.
18. Larivière, S. (2002). *Lutra maculicollis*. *Mammalian species*, 2002(712), 1-6.  
[https://doi.org/10.1644/1545-1410\(2002\)712<0001:LM>2.0.CO;2](https://doi.org/10.1644/1545-1410(2002)712<0001:LM>2.0.CO;2).

19. Perrin, M. R., & Carranza, I. D. I. (2000). Activity patterns of the spotted-necked otter in the Natal Drakensberg, South Africa. *South African Journal of Wildlife Research-24-month delayed open access*, 30(1), 1-7. <https://hdl.handle.net/10520/EJC117093>.
20. Perrin, M. R., D'Inzillo Carranza, I., & Linn, I. J. (2000). Use of space by the spotted-necked otter in the KwaZulu-Natal Drakensberg, South Africa. *South African Journal of Wildlife Research-24-month delayed open access*, 30(1), 15-21.  
<https://hdl.handle.net/10520/EJC117091>.
21. Perrin, M. R., & Carugati, C. (2000). Habitat use by the Cape clawless otter and the spotted-necked otter in the KwaZulu-Natal Drakensberg, South Africa. *South African Journal of Wildlife Research-24-month delayed open access*, 30(3), 103-113.  
<https://hdl.handle.net/10520/EJC117103>.
22. Perrin, M. R., & Carugati, C. (2000). Food habits of coexisting Cape clawless otter and spotted-necked otter in the KwaZulu-Natal Drakensberg, South Africa. *South African Journal of Wildlife Research*, 30(1), 29–33. <https://hdl.handle.net/10520/EJC117096>.
23. Perrin, M. R., & D'inizio Carranza, I. (1999). Capture, immobilization and measurements of the spotted-necked otter in the Natal Drakensberg, South Africa. *South African Journal of Wildlife Research-24-month delayed open access*, 29(2), 52-53.  
<https://hdl.handle.net/10520/EJC117066>.
24. Koepfli, K. P., & Wayne, R. K. (1998). Phylogenetic relationships of otters (Carnivora: Mustelidae) based on mitochondrial cytochrome b sequences. *Journal of Zoology*, 246(4), 401-416. <https://doi.org/10.1111/j.1469-7998.1998.tb00172.x>.
25. Somers, M. J., & Purves, M. G. (1996). Trophic overlap between three syntopic semi-aquatic carnivores: Cape clawless otter, spotted-necked otter and water mongoose. *African Journal of Ecology*, 34(2), 158-166. <https://doi.org/10.1111/j.1365-2028.1996.018-89018.x>.
26. Kruuk, H., & Goudswaard, P. C. (1990). Effects of changes in fish populations in Lake Victoria on the food of otters (*Lutra maculicollis* Schinz and *Aonyx capensis* Lichtenstein). *African Journal of Ecology*, 28(4), 322-329.  
<https://doi.org/10.1016/j.gecco.2015.05.001>.

27. Lejeune, A., & Frank, V. (1990). Distribution of *Lutra maculicollis* in Rwanda: ecological constraints. *CONTENT*.
28. Lejeune, A. (1990). Ecologie alimentaire de la loutre (*Hydriactis maculicollis*) au lac Muhazi, Rwanda. *Mammalia*, 54(1), 33–46.  
<https://doi.org/10.1515/mamm.1990.54.1.33>
29. Lejeune, A. (1989). Ethologie des loutres (*Hydriactis maculicollis*) au lac Muhazi, Rwanda. *Mammalia*, 53(2), 191–202. <https://doi.org/10.1515/mamm.1989.53.2.191>.
30. Lejeune, A. (1989). Les loutres, *Lutra (Hydriactis) maculicollis* Lichtenstein, et la pêche artisanale. *Revue de zoologie africaine* (1974), 103(2), 215–223.
31. Procter, J. (1963). A contribution to the natural history of the spotted-necked otter (*Lutra maculicollis* Lichtenstein) in Tanganyika. *African Journal of Ecology*, 1(1), 93–102. <https://doi.org/10.1111/j.1365-2028.1963.tb00180.x>.
32. Mortimer, M. A. E. (1963). Notes on the biology and behaviour of the spotted-necked otter (*Lutra maculicollis*). *Puku*, 1, 192–206.
33. Angelici, F. M., Politano, E., Bogudue, A. J., & Luiselli, L. (2005). Distribution and habitat of otters (*Aonyx capensis* and *Lutra maculicollis*) in southern Nigeria. *Italian Journal of Zoology*, 72(3), 223–227. <https://doi.org/10.1080/11250000509356676>.